References :

1) Abdollah GP, Shahrzad A, Abed KY and Behzad H (2010), Wound healing activity of *Malva sylvestris* and *Punica granatum* in alloxan induced diabetic rats. Acta Poloniae Pharmaceutica ñ Drug Research; Vol.67(5) : 511-516.

2) Agarwal PK, Sing A, Gurav K, et al (2009), Evaluation of wound healing activity of extracts of *Plantain banana* in Rats. Indian Journal of Experimental Biology; Vol.47: 32-40, January 2009.

3) Ananth KV, Asad M , et al (2010), Evaluation of wound healing potential of *Bauhinia purpurea* leaf extracts in rats. ijpsonline.com/text.asp? /72/1/122/62250.

4) Asuti Naveen (2010), Wound healing property of alcoholic extract of root bark of *Crataeva nurvala.* Journal of Pharmacy Research; Vol. 3(5): 1121-1123.

5) Bafna Anand, Mishra Shrihari (2010), Antioxidant and immunomodulatory Activity of the Alkaloidal fraction of *Cissampelos pareira* Linn. Scientia Pharmaceutica ; Vol.78 : 21-31.

6) Barua CC, Talukdar A, Begam SA, Sharma DK, Pathak DC, Barua AG & Bora RS (2009), Wound healing activity of methanolic extract of leaves of *Alternanthera brasiliana* Kuntz using *in vivo* and *in vitro* model.Indian Journal Of Experimental Biology; Vol. 47:1001-1005.

7) Charde MS, Hemke A. T. et al (2004) , Investigation on the wound healing activity of Tilvadi ghrita; a herbal formulation. Indian journal of Traditional Knowledge.;V3(3):247-252.

8) Dash GK and Murthy PN (2011), The wound healing effects of new Polyherbal formulation. Der Pharmacia Lettre; Vol. 3(1) : 342-349.

9) Esimone CO, Ibezim EC, et. al (2005), The Wound Healing Effect Of Herbal Ointments Formulated With *Napoleona imperialis* . Journal of Pharmaceutical and Allied Sciences; 3 (1) :294 -299.

10) Evans WC (1997).Trease and Evan's Pharmacognosy. Singapore; Hartcourt Brace and Company Asia Pvt. Ltd.

11) Finn Sandberg and Desmond Corrigan (2004), Natural Remedies Their Origins and uses. Published in the Taylor & Francis e-Library.

12) Gali P, Kilik R, et al (2008), Simple method of open skin wound healing model in corticosteroid- treated and diabetic rats. *Veterinarni Medicina; 53, (12): 652–659.*

13) Goyal RK and Shah BS(2005), Practicals in Pharmacognosy. Pune; Nirali Prakashan.

14) Gupta Vishal, Yadav SK, Sing Dinesh and Gupta Naveen (2011), Evaluation of wound healing activity of herbal drug combination of *Rubia cordifolia, Centella asiatica, Terminalia belerica, Plumbago zeylanica and Withania somnifera*. International Journal of Pharmacy & Life Sciences; Vol.2(7): 952-954.July-2011.

15) Harborne JB (1992). Phytochemical methods. A guide to modern technique of plant analysis. London; Chapman and Hill.

16) Hegde N (1993), Cultivation and uses of *Erythrina variegata* in western India in Westley SB and Powell MH; eds. Palahi (USA): NFRA.

17) Ipek PS, Ufuk Koca, Akkol KE, Demet Yilmazer and Murat Alper (2011), Assessment of wound healing activity of Aqueous Extracts of Colutea cilicica Boiss. & Bal. Fruit and Leaves. Evidence-Based Complementary and Alternative Medicine; Volume2011, Article ID758191: 01-07.

18) Iyenger MA and Nayak SGK (1991), Anatomy of crude drugs. 5th ed. Udupi; Navayuga press.

19) Jain Sachin , Jain Neetesh , Tiwari A , Balekar N and Jain DK (2009), Simple Evaluation of Wound Healing Activity of Polyherbal Formulation Of Roots of *Ageratum conyzoides* Linn. Asian J. Research Chem; Vol.2(2): 135-138.

20) Jaiswal S, Singh SV, Singh bhupendra and Singh HN (2004), Plants Used for Tissue

Healing Of Animals. Natural Product Radiance; Vol 3(4): 284-292.

21) Khare CP (2007),Indian medicinal plants an illustrated dictionary. Delhi: Springer reference;

22) Kirthikar KR and Basu BD (2005), Indian Medicinal Plants. Vol. I. Delhi: International book distributors.

23) Kokate CK (2005), Practical Pharmacognosy. 4th ed. Delhi: Published by Vallabh Prakashan.

24) Mahmood AA, Pouya H, Hapipah MA (2009), Acceleration of wound healing potential by *Lantana camara* Leaf extract in Experimental Rats. Research Journal of Medical Sciences; 3(2): 75-79.

25) Nadkarni KM (2006), Indian Medicinal Plants and Drugs with Their Medicinal Properties and Uses. Delhi; Srishthi book distributors.

26) Nayak BS, Maiya A & Kumar P (2007), Influence of Helium-Neon Laser Photo stimulation on Excision Wound Healing in Wistar Rats. OnLine Journal of Biological Sciences ;7 (2): 89-92, ISSN 1608-4217.

27) Nayak BS, Raju SS, Ramsubha A, (2008), Investigation of wound healing activity of Lantana camara L. in Sprague dawley rats using a burn wound model. International journal of Applied Research in Natural Products; Vol.1(1): 15-19.

28) Palm Beach Community College. Plants Of Medicinal Garden. Environmental Horticulture Program at Palm Beach Garden.

29) Prabhudatta Panda and Arpita Ghosh (2010), Formulation and Evaluation of Topical Dosage Form of *Eupatorium odoratum* Linn. and Their Wound Healing Activity. International Journal of Pharma and Bio Sciences; Vol. 1(2) : 01-13.

30) Prasad MS, Venkateshwarlu G, Dhanalakshmi CH, et al (2011), Wound healing Activity of *Pongamia pinnata* in albino wistar rats. Research Journal of Pharmaceutical, biological and

Chemical Sciences; vol.2(3) : 1096-1100.july-September 2011.

31) Rathi BS, Bodhankar SL, Baheti AM (2006), Evaluation of Aqueous Leaves Extract Of ***Moringa oleifera*** Linn. for Wound Healing In Albino Rats. Indian journal of experimental biology; Vol.44, November, pp.898-901.

32) Renu Solanki (2011), Treatment of Skin Diseases Through Medicinal Plants In Different Regions Of The World. International Journal of Biomedical Research; Vol. 2(1) : 73-80.

33) Sandeep B. Patil, Ghodke D. S. et al (2009), Evaluation of healing activity of marketed formulations on excision wound models in albino rats. International Journal of Pharma Tech Research.;V1(2):500-501.

34) Shamina Azeez , Senthil Amudhan , Sachidananda Adiga, et al (2007), Wound healing profile of *Areca Catechu* extracts on different wound models in wistar rats. Kuwait Medical Journal; Vol. 39(1) : 48-52.

35) Shanbhag TV, Sharma Chandrakala, et al (2006),Wound Healing Activity of Alcoholic Extract Of *Kaempferia galangal* in Wistar Rats. Indian J Physiol Pharmacol; 50 (4) : 384– 390.

36) Sharma R (2003), Medicinal plants of India an Encyclopedia. Delhi: Daya Publishing House.

37) Sharma S, Sharma MC, Kohli DV (2009), Wound Healing Activity of Ether- Chloroform Benzene-95% Extract of *Momordica Charantia* Fruits in Albino Rats. Journal of Optoelectronics and Biomedical Materials; Vol. 1(4):389-392.

38) Shenoy Ashoka M. et al (2011) , Evaluation of wound healing activity of Heliotropium indicum Leaves. IRJP; 2(1): 279-284.

39) Shikha Srivastava , Nidhi Mishra (2009), Evaluation of Polyherbal formulation for wound healing activity. Der Pharmacia Lettre; Vol.1(1): 157-161.

40) Shree Devi MS, Sampath Kumar B (2011), Evaluation of wound healing activity of Polyherbal Sidhha Formulation. Journal of Pharmaceutical and Biomedical sciences; Vol.5(6): 01-03.

41) Tambekar DH , Dahikar SB (2010), Antibacterial potential of some herbal preparation. International journal of pharmacy and pharmaceutical sciences; vol. 2, suppl 4: 176- 179.

42) Vinothapooshan G and Sundar K (2010), Wound Healing Effect Of Various Extracts Of Adhatoda vasica. International Journal of Pharma and Bio Sciences; Vol.1(4): 530-536.Oct- Dec.2010.

43) Viswanand V, Aleykutty NA , Zachariah SM , Prabhakar V (2011), Antimicrobial Potential Of Herbal Medicines. International Journal of Pharmaceutical Sciences and Research; Vol. 2(7): 1651-1658.